


**PALM INTRANET**

# Inventor Information for 09/904371

Inventor Name	City	State/Country
LUFT, SIEGFRIED	VANCOUVER	CANADA
MCCOUBREY, WARREN	BURNABY	CANADA
O'NEILL, DAVID	NORTH VANCOUVER	CANADA

[Appn Info](#) | 
 [Contents](#) | 
 [Petition Info](#) | 
 [Atty/Agent Info](#) | 
 [Continuity Data](#) | 
 [Foreign Data](#) | 
 [Inventor](#)

**Search Another:** Application#   or Patent#    
 PCT /  /   or PG PUBS #    
 Attorney Docket #    
 Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

**PORTAL**

USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

+ "network management" + "master server"



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before July 2001

Terms used **network management master server**

Found 1 of 116,748

Sort results by

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

[Search Tips](#)

[Try this search in The ACM Guide](#)

[Open results in a new window](#)

Results 1 - 1 of 1

Relevance scale



### 1 Economical Fault-Tolerant Networks

Ali Raza Butt, Jahangir Hasan, Kamran Khalid, Farhan-ud-din Mizra

June 2000 **Linux Journal**

Full text available: [.html\(20.13 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A software solution to achieve fault tolerance capitalizing on redundant replication of data and elimination of any single point of failure and with transparent switchover.

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)  
**Search:**  The ACM Digital Library  The Guide  
+ "network element management" + "master server"

## Nothing Found

Your search for **+ "network element management" + "master server"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

### Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum + art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum + "natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(network\$5 near2 manag\$5 near server\$5) with (master\$5 leader\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:40
L2	6	1 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 14:59
L3	373	(manag\$5 near server\$5) with (master\$5 leader\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 14:49
L4	136	3 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 14:48
L5	3753	(709/223).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 14:48
L6	189	(master\$5 leader\$5) near3 manag\$5 near server\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 14:49
L7	13	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:29
L8	28	(network near3 element\$5 near4 manag\$5) with master\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 14:59

L10	18	8 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:02
L11	78	6 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:06
L12	3435	(network\$3 near5 element\$5 near5 (manag\$5 administrat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:28
L13	1664	(master\$3 leader\$5) adj2 server\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:09
L14	37	12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:09
L15	24	14 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:41
L16	2087	(master\$3 leader\$5 primary) adj server\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:09
L17	3168	(master\$3 leader\$5 primary) adj (host server\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:09

L18	66	12 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:09
L19	45	18 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:10
L20	37	16 and 5 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:28
L21	28791	(element\$5 ne (network adj element\$3)) with (manag\$5 administrat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:29
L22	205	21 and 17 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:40
L23	13	5 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:29
L24	428	(network\$5 near2 manag\$5) and ((master\$5 primary leader\$5) adj server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:40
L25	262	24 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:50

L26	100	24 and @ad<"20010711" and (fault adj toleran\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:54
L27	9	24 and @ad<"20010711" and (fault adj toleran\$5) and clustering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:57
L28	317	(peer\$5 adj service\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:08
L29	16081	(fault adj toleran\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:58
L30	0	13 and 28 and 29 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:58
L32	0	13 and 28 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 15:59
L33	112	13 and 24 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:40
L34	0	17 and 28 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:39

L35	6793	(network adj manag\$5 adj system\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:39
L36	2077	(master primary leader\$3) adj server\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:39
L37	1920	35 and "36"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:40
L39	50	35 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:40
L40	32	39 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:54
L41	1	"6738812".pn. and (client\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:49
L42	1	"6738812".pn. and (client\$5 user\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:50
L43	3	"6738812"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:52

L44	14	(("6560196") or ("6523064") or ("6473411") or ("6381627") or ("6349332") or ("6324275") or ("6175866")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:53
L45	4522	(manage\$5 adj information adj base) mib	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:53
L46	39	36 and 45 and @ad<"20010711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:55
L47	17	36 and 45 and @ad<"20010711" and (load adj balance\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:55
L48	0	28 and 17 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:01
L49	1	28 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:02
L50	598	(709/208).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:02
L51	172	(709/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:02

L52	2	28 and (50 51)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:02
L53	4	(("5651006") or ("6292905")).PN.	US-PGPUB, USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:13
L54	28	"6292905"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:13
L56	4	(("6292905") or ("6738812")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:39